






















## YOUR CHILD CAN STILL COME TO SCHOOL IF THEY HAVE:

A cough	A cold	A sore throat	Conjunctivitis	Headlice
			 Notify staff	 With treatment
Tonsillitis	Hand, Foot & Mouth	Headache	Tired	Tummy ache
	 Notify staff			
	Prescribed medication and non-prescribed medicine (e.g. Calpol) can be administered to children, with parental consent.			

## YOUR CHILD NEEDS TO STAY AT HOME IF THEY HAVE

A temperature	Sickness bug	Diarrhoea	Chicken pox	Impetigo
 <p>To return to school when controlled by Calpol.</p>	 <p>To return to school after 48 hours of last episode.</p>	 <p>To return to school after 48 hours of last episode.</p>	 <p>To return to school when the spots have crusted over.</p>	 <p>To return to school when sores are crusted and healed or 48 hours after starting antibiotic treatment</p>
Flu	Slapped cheek	Strep throat	<div>   <p><b>REMEMBER!</b></p> <p><b>If your child is too ill to attend school, you MUST let school know as soon as possible.</b></p> <p><b>Please phone: 0114 266 2977</b></p> </div>	
 <p>Return to school when recovered/feeling better.</p>	 <p>To return to school once the rash has developed.</p>	 <p>To return to school 24 hours after starting antibiotics &amp; feeling well enough</p>		